# Heraeus PG 657 W H

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 07092021-15 Issue date: 9/7/2021 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form Product name Product code

: Mixture : PG 657 W H : PMA-PG-657-W

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Industrial use: Colouring agents

#### 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Heraeus Tokmak A.S. Kemalpasa O.S.B. Mah. 37. Sok. No: 6 35170 Ulucak Kemalpasa Izmir TURKEY T +90 (232) 877 2410 hakan.kiran@heraeus.com - www.heraeustokmak.com

#### **1.4. Emergency telephone number**

Emergency number

: +90 (232) 877 2410

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of damaging fertility or the unborn child. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### **2.2. Label elements**



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains :	Naphthenic acid, D-Limonenen, Eucalyptus globulus oil, Oils, Iavandin, Oils, pine, Fennel Oil, toluene, turpentine, oil, Essential oil of Rosmarinus officinalis L. (Lamiaceae) obtained from leaves, flowers and twigs by steam distillation, Rosin, Formaldehyde, oligomeric reaction products with phenol
Hazard statements (CLP) :	<ul> <li>H226 - Flammable liquid and vapour.</li> <li>H315 - Causes skin irritation.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H319 - Causes serious eye irritation.</li> <li>H361 - Suspected of damaging fertility or the unborn child.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP) :	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.</li> <li>No smoking.</li> <li>P261 - Avoid breathing vapours, spray, mist.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water .</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention.</li> <li>P501 - Dispose of contents and container to an approved waste disposal plant.</li> </ul>

#### 2.3. Other hazards

#### No additional information available

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Spikoel	CAS-No.: 8016-78-2 EC-No.: 284-290-6	≥ 10 – < 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315
Digold sulphide	CAS-No.: 1303-60-2 EC-No.: Digold sulphide	≥ 5 – < 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
toluene substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≥3-<5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Oils, Iavandin	CAS-No.: 8022-15-9	≥3-<5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412

## Safety Data Sheet

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclohexanol	CAS-No.: 108-93-0 EC-No.: 203-630-6	≥3-<5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
turpentine, oil	CAS-No.: 8006-64-2 EC-No.: 232-350-7 EC Index-No.: 650-002-00-6	≥1-<3	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Oils, pine	CAS-No.: 8002-09-3 EC-No.: 616-792-1	≥1-<3	Flam. Liq. 3, H226 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
n-butyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1	≥1-<3	Flam. Liq. 3, H226 STOT SE 3, H336
Eucalyptus globulus oil	CAS-No.: 8000-48-4 EC-No.: 616-775-9	≥1-<3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
D-Limonenen	CAS-No.: 8008-56-8 EC-No.: 284-515-8	≥1-<3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Formaldehyde, oligomeric reaction products with phenol	CAS-No.: 9003-35-4 EC-No.: 500-005-2	≥1-<3	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Rosin	CAS-No.: 8050-09-7 EC-No.: 232-475-7 EC Index-No.: 650-015-00-7	≥1-<3	Skin Sens. 1, H317
Bismuth tris(2-ethylhexanoate)	CAS-No.: 67874-71-9 EC-No.: 267-499-7	≥1-<3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361d
Dipropylene glycol methyl ether substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≥1-<3	Not classified
Copper (II) pyrophosphate	CAS-No.: 10102-90-6 EC-No.: 233-279-4	≥1-<3	Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 Aquatic Chronic 1, H410
1,2-Benzenedicarboxylic acid, benzyl C7-9-branched and linear alkyl esters	CAS-No.: 68515-40-2 EC-No.: 271-082-5	≥ 0.1 – < 1	Aquatic Acute 1, H400

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fennel Oil	CAS-No.: 8006-84-6 EC-No.: 616-896-7	≥ 0.1 – < 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Frits, Chemicals	CAS-No.: 65997-18-4 EC-No.: 266-047-6	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Carc. 2, H351 Repr. 1A, H360 Lact., H362 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Naphthenic acid	CAS-No.: 1338-24-5 EC-No.: 215-662-8	≥ 0.1 – < 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Essential oil of Rosmarinus officinalis L. (Lamiaceae) obtained from leaves, flowers and twigs by steam distillation	CAS-No.: 8000-25-7 EC-No.: 283-291-9	≥ 0.1 – < 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Formaldehyde substance with a Community workplace exposure limit (Note B)(Note D)	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5	< 0.01	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Formaldehyde	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5	( 0.2 ≤C ≤ 100) Skin Sens. 1, H317 ( 5 ≤C < 25) Eye Irrit. 2, H319 ( 5 ≤C < 25) Skin Irrit. 2, H315 ( 5 ≤C ≤ 100) STOT SE 3, H335 ( 25 ≤C ≤ 100) Skin Corr. 1B, H314

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a ght/weight basis.

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'. Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person. People with over sensibility problems are not allowed to work or be exposed to the product. In all cases of doubt, or when symptoms persist, seek medical attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: Eye irritation.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).</li> <li>Strong water jet.</li> </ul>
5.2. Special hazards arising from the subst	ance or mixture
Fire hazard Explosion hazard	<ul> <li>Flammable liquid and vapour. Keep away from ignition sources (including static discharges). Contact with combustible material may cause fire.</li> <li>Risk of explosion if heated under confinement. Heat may build pressure, rupturing closed</li> </ul>
Reactivity in case of fire Hazardous decomposition products in case of fire	<ul><li>containers, spreading fire and increasing risk of burns and injuries.</li><li>At high temperature may liberate dangerous gases.</li><li>Toxic fumes may be released.</li></ul>
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	<ul> <li>Approach from upwind. Use water spray or fog for cooling exposed containers. Keep away from combustible materials.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Cool adjacent tanks / containers / drums with water jet. Do not allow water to enter the vessels, a violent reaction may occur. Exercise caution when fighting any chemical fire. Keep upwind. In case of fire: Evacuate</li> </ul>
Protection during firefighting Other information	<ul> <li>area. Fight fire remotely due to the risk of explosion.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> <li>High temperature decomposition products are harmful by inhalation. Inhalation of vapour can cause breathing difficulties.</li> </ul>

SECTION 6: Accidental release measures	
--	--

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not touch or walk on the spilled product. Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Only qualified personnel equipped with suitable protective equipment may intervene.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not touch spilled material. Keep public away from danger area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Ventilate area. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containmer	nt and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Comply with the safety intructions.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Clean up any spills as soon as possible, using an absorbent material to collect it. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Sweep or shovel spills into appropriate container for disposal. Minimise generation of dust.
Other information	: Dispose of materials or solid residues at an authorized site. Dispose of contaminated materials in accordance with current regulations.

### 6.4. Reference to other sections

For further information refer to section 13. Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Use adequate ventilation to keep vapour concentrations below applicable standard. Take all necessary technical measures to avoid or minimize the release of the product on the workplace.
Precautions for safe handling	<ul> <li>Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid dust formation. Avoid prolonged and repeated contact with skin. Contaminated work clothing should not be allowed out of the workplace. Do not spray on an open flame or other ignition source.</li> </ul>
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment. Ensure adequate ventilation, especially in confined areas. Comply with applicable regulations.
Storage conditions Incompatible products Incompatible materials Heat and ignition sources Information on mixed storage	<ul> <li>Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.</li> <li>Strong bases. Strong acids. Strong oxidizing agents. Peroxides.</li> <li>Sources of ignition. Direct sunlight. Extremely high or low temperatures.</li> <li>Do not smoke. KEEP SUBSTANCE AWAY FROM: ignition sources. heat sources.</li> <li>Keep away from food, drink and animal feeding stuffs.</li> </ul>

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage area

: Avoid: Extremely high or low temperatures. Heat and ignition sources.

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PG 657 W H			
EU - Binding Occupational Exposure Limit (BOEL)			
Local name Formaldehyde			
n-butyl acetate (123-86-4)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	n-Butyl acetate		
IOEL TWA [ppm]	50 ppm		
IOEL STEL	723 mg/m <sup>3</sup>		
IOEL STEL [ppm]	150 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2019/1831		
Dipropylene glycol methyl ether (34590-94-8)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	(2-Methoxymethylethoxy)-propanol		
IOEL TWA [ppm]	50 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
toluene (108-88-3)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Toluene		
IOEL TWA [ppm]	50 ppm		
IOEL STEL	384 mg/m³		
IOEL STEL [ppm]	100 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Formaldehyde (50-00-0)			
EU - Binding Occupational Exposure Limit (BOEL)			
Local name	Formaldehyde		
BOEL TWA	0.37 mg/m <sup>3</sup> 0.62 mg/m <sup>3</sup> (Limit value for the health care, funeral and embalming sectors until 11 July 2024)		
BOEL TWA [ppm]	0.3 ppm 0.5 ppm (Limit value for the health care, funeral and embalming sectors until 11 July 2024)		
BOEL STEL	0.74 mg/m³		

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Formaldehyde (50-00-0)		
BOEL STEL [ppm]	0.6 ppm	
Notes	Dermal sensitisation	
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Gas mask.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. EN 166. Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Protective gloves. EN 374. Protective gloves. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** 

[In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

Do not eat, drink or smoke during use. Always wash hands after handling the product. Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing.

#### Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Liquid.		
Colour	: brown.		
Odour	: characteristic.		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: 23 °C (1013 hPa)		
Critical temperature	: (1.013 hPa)		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Not applicable		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		
Relative density	: No data available		
Solubility	: Practically insoluble in : Water. (20 °C). (1013 hPa).		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: 150 mPa·s		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: No data available		

9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid and vapour.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**10.5. Incompatible materials** 

Strong acids. Strong bases. Strong oxidizing agents. Peroxides. Explosives.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicologica	Il information	
11.1 Information on toxicolog	jical effects	
Acute toxicity (oral)	: Not classified	

## Safety Data Sheet

Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified
Frits, Chemicals (65997-18-4)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000
LC50 Inhalation - Rat	1.62 mg/l 4 h
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h
Cyclohexanol (108-93-0)	
LC50 Inhalation - Rat	> 3.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h
Dipropylene glycol methyl ether (34590-94-8)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Copper (II) pyrophosphate (10102-90-6)	
LD50 oral rat	<ul> <li>&gt; 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline</li> <li>423 (Acute Oral toxicity - Acute Toxic Class Method)</li> </ul>
LC50 Inhalation - Rat	1.08 – 5.16 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h
Rosin (8050-09-7)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Spikoel (8016-78-2)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat
turpentine, oil (8006-64-2)	
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
	1

## Safety Data Sheet

turpentine, oil (8006-64-2)	
ATE CLP (dust,mist)	1.5 mg/l/4h
Bismuth tris(2-ethylhexanoate) (67874-71-9)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Formaldehyde (50-00-0)	
ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h
Serious eye damage/irritation:Respiratory or skin sensitisation:Germ cell mutagenicity:Carcinogenicity:Reproductive toxicity:	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified Suspected of damaging fertility or the unborn child. Not classified
n-butyl acetate (123-86-4)	
STOT-single exposure	May cause drowsiness or dizziness.
Cyclohexanol (108-93-0)	
STOT-single exposure	May cause respiratory irritation.
Fennel Oil (8006-84-6)	
STOT-single exposure	May cause damage to organs.
Digold sulphide (1303-60-2)	
STOT-single exposure	May cause respiratory irritation.
Oils, pine (8002-09-3)	
STOT-single exposure	May cause respiratory irritation.
Essential oil of Rosmarinus officinalis L. (Lan 25-7)	niaceae) obtained from leaves, flowers and twigs by steam distillation (8000-
STOT-single exposure	May cause damage to organs.
toluene (108-88-3)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Frits, Chemicals (65997-18-4)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Naphthenic acid (1338-24-5)	
NOAEL (oral, rat, 90 days)	302 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Remarks on results: other:

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cuelebowenel (400.02.0)			
Cyclohexanol (108-93-0)			
NOAEL (oral, rat, 90 days)	143 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents)		
NOAEC (inhalation, rat, vapour, 90 days)	20072 mg/l air Animal: rat, Guideline: other:		
Dipropylene glycol methyl ether (34590-94-8)			
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:		
Copper (II) pyrophosphate (10102-90-6)			
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.002 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicit 28-Day Study)		
toluene (108-88-3)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Bismuth tris(2-ethylhexanoate) (67874-71-9)			
NOAEL (subchronic, oral, animal/male, 90 days)	180 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:		
NOAEL (subchronic, oral, animal/female, 90 days)	205 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:		
Aspiration hazard :	Not classified		

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	<ul> <li>Harmful to aquatic life with long lasting effects.</li> <li>Not classified</li> <li>Harmful to aquatic life with long lasting effects.</li> </ul>	
Naphthenic acid (1338-24-5)		
LC50 - Fish [1]	≈ 5.62 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	≈ 20 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	≈ 29.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	≈ 17.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous name Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	≈ 29.9 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [2]	≈ 18.1 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC (chronic)	4.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Cyclohexanol (108-93-0)		
LC50 - Fish [1]	704 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	17 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 96h - Algae [1]	483.82 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cyclohexanol (108-93-0)	
NOEC (chronic)	0.953 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Dipropylene glycol methyl ether (34590-94	1-8)
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
Copper (II) pyrophosphate (10102-90-6)	
LC50 - Fish [1]	> 118.6 µg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 63.3 μg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
Rosin (8050-09-7)	
LC50 - Fish [1]	5.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	5.4 mg/l Test organisms (species):
Bismuth tris(2-ethylhexanoate) (67874-71-	9)
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Disposal must be done according to official regulations.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Disposal must be done according to official regulations.</li> <li>Completely empty the packaging prior to decontamination. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Comply with applicable regulations for solid waste disposal.</li> <li>Flammable vapours may accumulate in the container. Empty containers should be taken for</li> </ul>
Ecology - waste materials	recycling, recovery or waste in accordance with local regulation. : Avoid release to the environment. Do not allow into drains or water courses.

## **SECTION 14: Transport information**

UN 1263 name PAINT ion	UN 1263 Paint	UN 1263 PAINT	UN 1263 PAINT
PAINT			
PAINT	Paint	PAINT	PAINT
ion	Paint	PAINT	PAINT
NT / PAINT UN 1263 PAINT, 3, III, MARINE UN 1263 Paint, 3, III, ENVIRONMENTALLY HAZARDOUS DOUS UN 1263 PAINT, 3, III, ENVIRONMENTALLY HAZARDOUS		UN 1263 PAINT, 3, III, ENVIRONMENTALLY HAZARDOUS	
ss(es)			
3	3	3	3
L			
111		111	III
ds			
Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: YesDangerous for the environment: Yes	
	NTALLY HAZARDOUS ss(es) 3 3 111 111 ds Dangerous for the environment: Yes	NTALLY HAZARDOUS ss(es) 3 3 3 3 3 3 3 3 3 3 3 3 3	NTALLY HAZARDOUS       3

### 14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	F1
Special provisions (ADR)	:	163, 367, 650
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T2
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with r	ts amendment Regulation (EU) 2015/830
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	30
	30 1263
	1263
Tunnel restriction code (ADR)	: D/E
Transport by sea	
Special provisions (IMDG)	: 163, 223, 367, 955
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355 : 60L
PCA max net quantity (IATA) CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A72, A192
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 163, 367, 650
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 163, 367, 650
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2 : TP1 TP20
Portable tank and bulk container special provisions	: TP1, TP29
(RID) Tank order for PID tanks (PID)	
Tank codes for RID tanks (RID) Transport category (RID)	: LGBF : 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
28.	Formaldehyde	Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively.
48.	toluene	Toluene
72.	Formaldehyde	The substances listed in column 1 of the Table in Appendix 12

Contains no substance on the REACH candidate list ≥ 0,1 % / SCL

Contains no REACH Annex XIV substances

Hazardous Incident Ordinance (12. BImSchV)

List of sensitizing substances (TRGS 907)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

#### Germany

Employment restrictions

Water hazard class (WGK)

Joint storage table

Storage class (LGK, TRGS 510)

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

: Contains sensitizing substances according TRGS 907

: LGK 3 - Flammable liquids

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

: LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7

Joint storage with restrictions permitted for Joint storage permitted for : LGK 5.1B, LGK 6.2, LGK 7

: LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

## Safety Data Sheet

Abbreviations and acronyms:		
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
CAS	Chemical Abstracts Service (division of the American Chemical Society)	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
IOELV	Indicative Occupational Exposure Limit Value	
Pow (log)	n-octanol/water partition coefficient	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
TRGS	Technical Rules for Hazardous Substances	
WGK	Water Hazard Class	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources

: Classification according to Regulation (EC) No. 1272/2008 [CLP]. ECHA (European Chemicals Agency). Supplier's safety documents.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H362	May cause harm to breast-fed children.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable